



DIMENSION DATA (ALL DIMENSIONS PRIOR TO SURFACE FINISH AND LUBRICATION.)

PART NUMBER	FOR BOLT SIZE	A ±0,13	DI DIA	DO DIA	L MAX	(HF)	(HS)
JK5726( )04( )( )	4,0	8,0	3,999 3,960	4,999 4,974	15	1,7	1,92
JK5726( )05( )( )	5,0	10,0	4,999 4,960	5,999 5,974	19	2,1	2,34
JK5726( )06( )( )	6,0	12,0	5,999 5,960	6,999 6,974	25	2,6	2,84
JK5726( )08( )( )	8,0	16,0	7,994 7,955	8,994 8,970	25	3,4	3,64
JK5726( )10( )( )	10,0	20,0	9,994 9,955	10,994 10,970	25	4,2	4,44
JK5726( )12( )( )	12,0	24,0	11,994 11,955	12,994 12,970	25	5,0	5,24

MATERIAL AND FINISH DATA

CODE	MATERIAL	SPEC.	CONDITION	PASSIVATE
C	A-286 CRES	AMS 5525	AS FORMED	AMS-QQ-P-35
D	A-286 CRES	AMS 5525	ANNEALED	AMS-QQ-P-35

LUBRICATION DATA

CODE	LUBRICATION	SPEC.
NONE	NONE	
B	NONE	
L	CETYL ALCOHOL	MIL-L-87132

EXAMPLE PART NUMBER

JK5726 C 08 N 08 L

↑ LUBRICATION - CETYL ALCOHOL  
 ↑ LENGTH L IN MM (2 DIGITS) - 8,0 MM  
 ↑ SURFACE FINISH - NONE  
 ↑ FASTENER DIA IN MM - 8,0 MM  
 ↑ MATERIAL - A-286 CRES  
 ↑ BASIC PART NUMBER

SURFACE FINISH

CODE	TREATMENT	SPEC.
N	NONE	
AC	ALUMINUM COAT	NAS4006

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.

**GLICK BOND**

CARSON CITY  
NEVADA 89706

DIN65431  
METRIC  
HOLEMOD

APPROVALS	DATE
DRAWN <b>BPerez</b>	14JUL04
CHECKED <b>DDC/John</b>	14JUL04
RELEASED <b>CGH</b>	15JUL04
REVISED <b>BPerez</b>	14JUL04

TITLE			
SLEEVE, BOLT FIT, 100° FLUSH TENSION HEAD, METRIC			
SIZE	CAGE CODE	DWG. NO.	REV.
A	66530	JK5726	7
SCALE	4/1	14JUL04	SHEET 1 OF 1