



DIMENSION DATA (ALL DIMENSIONS PRIOR TO SURFACE FINISH AND LUBRICATION.)

PART NUMBER	FOR BOLT SIZE	A ±0,13	DI DIA	DO DIA	L MAX	(HF)	(HS)
JK5726()04()()	4,0	8,0	3,999 3,960	4,999 4,974	15	1,7	1,92
JK5726()05()()	5,0	10,0	4,999 4,960	5,999 5,974	19	2,1	2,34
JK5726()06()()	6,0	12,0	5,999 5,960	6,999 6,974	25	2,6	2,84
JK5726()08()()	8,0	16,0	7,994 7,955	8,994 8,970	25	3,4	3,64
JK5726()10()()	10,0	20,0	9,994 9,955	10,994 10,970	25	4,2	4,44
JK5726()12()()	12,0	24,0	11,994 11,955	12,994 12,970	25	5,0	5,24

MATERIAL AND FINISH DATA

CODE	MATERIAL	SPEC.	CONDITION	PASSIVATE
C	A-286 CRES	AMS 5525	AS FORMED	AMS-QQ-P-35
D	A-286 CRES	AMS 5525	ANNEALED	AMS-QQ-P-35

LUBRICATION DATA

CODE	LUBRICATION	SPEC.
NONE	NONE	
B	NONE	
L	CETYL ALCOHOL	MIL-L-87132

EXAMPLE PART NUMBER

JK5726 C 08 N 08 L

↑ LUBRICATION - CETYL ALCOHOL
 ↑ LENGTH L IN MM (2 DIGITS) - 8,0 MM
 ↑ SURFACE FINISH - NONE
 ↑ FASTENER DIA IN MM - 8,0 MM
 ↑ MATERIAL - A-286 CRES
 ↑ BASIC PART NUMBER

SURFACE FINISH

CODE	TREATMENT	SPEC.
N	NONE	
AC	ALUMINUM COAT	NAS4006

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.

GLICK BOND

CARSON CITY
NEVADA 89706

DIN65431
METRIC
HOLEMOD

APPROVALS	DATE
DRAWN BPerez	14JUL04
CHECKED DDC/John	14JUL04
RELEASED CGH	15JUL04
REVISED BPerez	14JUL04

TITLE			
SLEEVE, BOLT FIT, 100° FLUSH TENSION HEAD, METRIC			
SIZE	CAGE CODE	DWG. NO.	REV.
A	66530	JK5726	7
SCALE	4/1	14JUL04	SHEET 1 OF 1