

LENGTH L DATA (LENGTH L IN SIXTEENTHS OF AN INCH)

CODE	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
L	.250	.375	.500	.625	.750	.875	1.000	1.125	1.250	1.375	1.500	1.625	1.750	1.875	2.000

MATERIAL AND FINISH DATA

CODE	MATERIAL	SPEC.	FINISH	SPEC.
A	2024 OR 6061 ALUMINUM	QQ-A-200, QQ-A-225, OR QQ-A-250	NONE	
AA			ANODIZE	MIL-A-8625
CR	302, 303, 304, OR A-286 CRES	AMS 5513, 5516, 5525, 5636, 5637, 5638, 5639, 5640, 5641, 5647, 5726, 5731, 5732, 5734, OR 5737	PASSIVATE	QQ-P-35
CRA	A-286 CRES	AMS 5525, 5726, 5731, 5732, 5734, OR 5737		
CRM	316 CRES	AMS 5507, 5524, 5648, 5653, OR 5907		

THREAD DATA

CODE	THREAD T	SPECIFICATION
06	.138-32 UNJC-3A	MIL-S-8879
08	.164-32 UNJC-3A	
3	.1900-32 UNJF-3A	
4	.2500-28 UNJF-3A	FED-STD-H28
324	.190-24 UNC-2A	
420	.250-20 UNC-2A	

OPTIONAL PRIMER


CODE	BASEPLATE PRIMER	SPEC.
P	EPOXY PRIMER	MIL-P-85582

OPTIONAL CONSTRUCTION

CODE	MANUFACTURING METHOD
B	ONE PIECE

EXAMPLE PART NUMBER

CB2000 CRA 3-12 P 625 B



UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.



CARSON CITY NEVADA 89706

		APPROVALS	DATE
ANGLES	±1°	DRAWN RGP	8MAR96
.XX	±.03	CHECKED DAC	8MAR96
.XXX	±.010	RELEASED CGH	14MAR96
.XXXX	±.001	REVISED RGP	8MAR96

TITLE			
STUD, MEDIUM BASE, ADHESIVE BONDED			
SIZE	CAGE CODE	DWG. NO.	REV.
A	66530	CB2000	1
SCALE	1/1 08MAR96		SHEET 1 OF 1