



TYPICAL APPLICATION WITH TWO MS21919 CUSHIONED LINE SUPPORT CLAMPS MOUNTED TO SUBSTRATE WITH ADHESIVE BONDED STUD, MS21043 NUT, AND AN960 WASHER.

STANDOFF DISTANCE D (SEE TABLE FOR DASH NO.)

DIMENSION DATA

CODE	D
3	.188
4	.250
5	.313

SUPPORT MATERIAL

CODE	MATERIAL
P	GLASS/PEEK
V	GLASS/POLYETHERIMIDE
VC	CARBON/POLYETHERIMIDE

EXAMPLE PART NUMBER

CB9212 V 3-4

↑ BASIC PART NUMBER
 ↑ MATERIAL - GLASS/POLYETHERIMIDE
 ↑ HOLE SIZE - .204 DIA FOR .1900-32 STUD
 ↑ STANDOFF DISTANCE D - .250

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.



CARSON CITY
NEVADA 89706

ANGLES	±1°	APPROVALS		DATE
		DRAWN	DATE	TITLE
.XX	±.03	BPEREZ	3AUG04	SUPPORT, DOUBLE LINE CLAMP, VARIABLE STANDOFF DISTANCE
.XXX	±.010	CGH	3AUG04	SIZE A CAGE CODE 66530 DWG. NO. CB9212 REV. 2
.XXXX	±.001	BPEREZ	3AUG04	SCALE 2/1 3AUG04 SHEET 1 OF 1

DATE	TITLE	SIZE	CAGE CODE	DWG. NO.	REV.
3AUG04	SUPPORT, DOUBLE LINE CLAMP, VARIABLE STANDOFF DISTANCE	A	66530	CB9212	2
3AUG04		SCALE 2/1	3AUG04		SHEET 1 OF 1